

technical sheet

# CREMA MARFIL



Crema Marfil is one of the most popular cream color marbles. This resistant marble is appreciated for its uniform color and texture, which makes it a very versatile choice for a wide variety of applications.

Extracted in the largest open-air marble quarry in Spain. Crema Marfil provides unique aesthetic and physical qualities. The types of Crema Marfil are classified according to their appearance.

## TECHNICAL SPECIFICATIONS

Mohs Hardness	3 Mohs
Density	2.70 G/cm <sup>3</sup>
Bulk Specific Gravity	2680 kg/m <sup>3</sup> / 167,6 lb/ft <sup>3</sup>
Modulus of Rupture	10,8 MPa/ 1560 psi
Compressive Strength	157 MPa/22700 psi
Flexural Strength	8.0 MPa/ 1160 psi
Decrease in flexural strength	11.2
Average change in elasticity	3.8
Apparent Porosity	% 1.30
Bending Strength	198 kg/cm <sup>2</sup>
Reaction to fire	Clase A1
Abrasion resistance	19.5
Compressive Strength	386 kg/cm <sup>2</sup>
Water Absorption Coefficient	0.16%
Water Absorption At Atmospheric Pressure	% 0.2

## FINISHES

- POLISH
- HONED
- ANTIQUE
- LEATHER
- BRUSHED
- SANDBLASTED
- BUSH HAMMERED

## APPLICATIONS



Flooring



Cladding



Bathrooms



Decorative elements



Indoor



Outdoor

CREMA MARFIL

marble





Paraje La Buitreta, s/n  
03670 Monforte del Cid, Alicante  
966 197 838  
[marketing@fiorantina.com](mailto:marketing@fiorantina.com)